

## State Library of Queensland - Digital Standard 2 – Digital capture & format, version 3.01

### Document Details

Document Name:	<b>State Library of Queensland Digital Standard 2 – Digital capture &amp; format</b>
Location:	<ul style="list-style-type: none"> <li>▪ <a href="O:\Resource Management\Committees &amp; groups\RD Standards group\Digital Standard 2\Current\DS2Capture_v3.01.doc">O:\Resource Management\Committees &amp; groups\RD Standards group\Digital Standard 2\Current\DS2Capture_v3.01.doc</a></li> <li>▪ <a href="http://www.slq.qld.gov.au/about/pub/pol">http://www.slq.qld.gov.au/about/pub/pol</a></li> </ul>
Version Number:	3.01
Documentation Status:	Endorsed by Content Working group, April, 2012
Program:	Client Services & Collections
Unit:	Resource Management
Author:	Resource Discovery Standards Group
<b>Next Scheduled Review Date</b>	December 2012 (or as required)

### Version History

Version Number	Date	Reason/Comments
0.01	13 June 2002	First consultation draft, distributed for comment and feedback via picqld mailing list.
0.02	8 July 2002	Revised following discussion by Scanning Working Group
0.03	12 September 2002	File naming convention adjusted following discussion with Information Systems
1.00	25 September 2002	Standard endorsed by Executive Group
1.1	24 February 2003	Title changed to include State Library of Queensland
1.2	14 April 2003	Substantial changes to file naming convention following decisions made by ENCompass Implementation Group. Also changes to the control and management of digital file names and directories.
1.3	22 May 2003	Change to the 5 <sup>th</sup> directory – padded to 6 digits
1.4	5 October 2004	Substantial changes to include music scores and manuscript materials.
1.5	May 2005	Substantial changes to format, file naming conventions, inclusion of audio materials, provision for artists' books. Addition of information regarding file formats used by SLQ.
2	28 July 2005	Removed colons from file naming schemes at request of Digitisation Steering Committee, meeting July 2005.  Endorsed by Digitisation Steering Committee.

2.01	1 November 2005	Revised to reflect changes to file naming conventions for photographic material and music scores. Revisions agreed between HC and DSU.
2.02	27 March 2006	Changes to directory and number of leading zeros in file names for images from photographic albums. Revised directory and file names for digital image and audio objects and moved to appendices.
2.03	24 August 2006	Added standards and file naming for video formats and virtual books. Added video formats for web delivery. Endorsed by Digitisation Steering Committee 7 September 2006.
2.04	24 January 2007	Revised directory structure for video files and audio files.
2.05	14 June 2007	Removed directory & file naming appendices and created a separate document. Endorsed DSC 10 July 2007.
2.06	26 August 2009	Added downloadable video file format to standard. Endorsed CSG 16 Sept, 2009
3.00	November 2009	Review of standard to meet requirements of new digital management system, including removal of Real Player format. Endorsed CSG 16 Dec 2009
3.01	March 2012	Review of standard including the addition of JPEG2000 as recognised format. Endorsed by Content Working Group, 4 April, 2012.

<b>1. Introduction</b>	4
<b>2. Related Documents</b>	4
<b>3. Principles of quality digital objects</b>	4
<b>4. File formats</b>	5
4.1. Images	5
4.1.1. TIFF	5
4.1.2. JPEG	5
4.1.3. JPEG2000	6
4.1.4. PDF (Portable Document Format)	6
4.2. Audio	6
4.2.1. Broadcast WAVE Audio File Format, WAVE_LPCM_BWF	6
4.2.2. MP3	7
4.2.3. WMA (Windows Media Audio)	7
4.3. Video	7
4.3.1. AVI	7
4.3.2. MOV (QuickTime File Format)	8
4.3.3. WMV (Windows Media Video)	8
4.3.4. MPEG- 4 Version 2	8
<b>5. Capture standards - images</b>	9
5.1. Image standards	9
5.2. Post scan editing of digital images	10
<b>6. Capture standards - audio</b>	10
6.1. Analogue to digital conversion	11
6.2. Audio standards	11
6.3. Post scan editing of audio files	11
<b>7. Capture standards - video</b>	11
<b>9. Management and control of digital objects</b>	12
<b>10. Preservation and data integrity</b>	12
<b>11. Review process</b>	12
<b>12. Sources consulted</b>	14
<b>APPENDIX A</b>	15
<b>APPENDIX B</b>	16

## 1. Introduction

This document details the State Library of Queensland's standards for the capture of digital objects to meet access and preservation requirements. The standard covers image (photographs, manuscripts, music scores), audio and video files and outlines the file formats for each type of digital object...

The State Library recognises that the application of standards in line with international best practice is critical to the successful implementation and sustainability of digital projects. Digital information is fragile in ways that differ from books or other printed information. Digital files are more easily corrupted or altered without realisation. Digital asset management - long term preservation and storage – must be considered at all stages of the life cycle of digital objects. Ensuring quality standards at the point of capture/creation is an important strategy to protect the State Library's increasing investment in digitisation.

Other institutions have done a great deal of work to define capture standards for digital objects. The State Library acknowledges, and draws on this body of work. Documents were reviewed from projects such as American Memory, Colorado Digital Project, National Libraries of Australia and New Zealand as well as the State Library of Victoria.

## 2. Related Documents

*Directory & File Naming Conventions for Digital Objects* (available on the Library's website at <http://www.slq.qld.gov.au/about/pub/pol>)

*State Library of Queensland Digital Standard 1 - Metadata for digital objects and other specified resource types* (available on the Library's website at <http://www.slq.qld.gov.au/about/pub/pol>)

## 3. Principles of quality digital objects

The State Library is working towards achieving the following principles for producing quality digital objects:

- 1 A digital object will be selected and produced in a way that ensures it supports the Content Strategy.
- 2 A digital object is persistent. It is the intention of the State Library that digital objects remain accessible over time despite changing technologies.
- 3 An object is digitised from the original version or from the highest quality version available.
- 4 An object is digitised in a format that supports intended current and likely future use, including long term preservation, and the creation of derivative copies that support those uses. Consequently, the digital object will be exchangeable across platforms, broadly accessible, and will either be digitised according to a recognised standard or best practice, or it will deviate from standards and practices only for well documented reasons.
- 5 A digital object will be named with a persistent, unique identifier that conforms to a well-documented scheme. It will not be named with reference to its absolute file name or address (e.g. as with URLs and other internet addresses) as file names and

addresses have a tendency to change.

- 6 A digital object can be authenticated. A client should be able to determine that the object is what it purports to be.
- 7 A digital object will have, and be associated with, metadata. All digital objects will have descriptive, administrative and technical metadata. Additionally, metadata that supplies information about external relationships to other objects (e.g. the structural metadata that determines how page images from a digitised manuscript or diary relate to one another in some sequence) will be included.

## **4. File formats**

File formats for the State Library's digital objects have been selected based on such factors as industry standards, sustainability, quality and functionality. Format is particularly significant when capturing a master or archival file. The State Library intends to capture digital objects once, and at the highest quality possible for long term preservation and sustainability.

The following digital formats have been chosen by the State Library of Queensland. (More information on digital formats is available from the National Digital Information Infrastructure and Preservation Program (NDIIPP) at <http://www.digitalpreservation.gov/formats.>)

### **4.1. Images**

#### **4.1.1. TIFF**

TIFF (Tagged Image File Format) 6.0 is used by the State Library as the uncompressed master archival file format for digital reproductions from paper and photographic media such as negatives.

TIFF was developed by Aldus and Microsoft Corp, and the specification was owned by Aldus, which in turn merged with Adobe Systems, Incorporated. Consequently, Adobe Systems now holds the copyright for the TIFF specification. Since it was designed for, and by, developers of printers, scanners and monitors, TIFF is highly flexible and platform-independent and is supported by numerous image processing applications.

TIFF has a wide distribution in the library digitisation industry. It is used as preservation format by the National Libraries of Australia and New Zealand, all Australian state libraries, Library of Congress and many other libraries who capture image files for preservation. TIFF is recommended by the Australian Government Information Management Office.

#### **4.1.2. JPEG**

JPEG (JFIF JPEG File Interchange Format) file format is used by the State Library to deliver images online. JPEG derivatives are produced from the TIFF masters.

JPEG is a standardized image compression mechanism. JPEG stands for Joint Photographic Experts Group, the name of the committee that developed the

standard. JPEG is one of the most popular image formats used for storing and transmitting images on the Internet. The main reason behind this popularity is the extremely effective compression offered by the JPEG file formats. This compression enables people to quickly transmit (send or receive) image files over the Internet.

JPEG is a lossy compression method performed using discrete cosine transformation, where some data from the original picture is lost. Though the amount of compression depends upon the original image, ratios of 10:1 to 20:1 do not typically cause noticeable loss in the original image.

#### **4.1.3. JPEG2000**

JPEG2000 is an image coding system that uses state-of-the-art compression techniques based on wavelet technology. Its architecture lends itself to a wide range of uses from portable digital cameras to advanced pre-press, medical imaging and other key sectors. Compared to JPEG, JPEG2000 offers higher compression without compromising quality, progressive image reconstruction, lossy and lossless compression, and the JP2 file format (.jp2) is XML based metadata.

#### **4.1.4. PDF (Portable Document Format)**

PDF (Portable Document Format) is used by the State Library to provide a version of documents, e.g. music scores, whose primary purpose is for downloading and printing. PDF files ensure that documents designed for print retain the same layout and design elements as the original.

State Library is currently investigating preservation formats for PDF documents.

When providing PDF files the State Library follows the Queensland Government's CUE standard, specifically [Module 6: Non-HTML documents](#).

## **4.2. Audio**

### **4.2.1. Broadcast WAVE Audio File Format, WAVE\_LPCM\_BWF**

The State Library uses the Broadcast Wave Audio File Format for uncompressed master archival files of audio materials.

The broadcast WAVE file format was developed by the European Broadcast Union (EBU) in 1997 as a file format intended for the exchange of audio material between different broadcast environments and equipment. It is based on the Microsoft WAVE audio file format but adds a "Broadcast Audio Extension" chunk to hold additional metadata.

The Broadcast Wave File format has been widely adopted in both the recording industry and sound archives and is recommended by the Delivery Specifications Committee, Producer's and Engineer's Wing, National Academy of the Recording Arts and Sciences as the preferred format for the delivery of music recordings to record companies. It is also the file format for audio materials recommended by

IASA (International Association of Sound Archives).

The format specifications and supplements to the format specifications are part of Tech3000 series of publications of the EBU and available at:

<http://tech.ebu.ch/docs/tech/tech3285.pdf>

#### **4.2.2. MP3**

MP3 files are used by the State Library to provide compressed audio files for download from the internet.

MP3, or more correctly, MPEG -1 Layer 3, is both the name of a file extension and a type of file. The Moving Picture Experts Group specified three coding schemes for the compression of audio signals (layer1, layer 2, layer 3). Layer 3 (MP3) uses perceptual audio coding and psychoacoustic compression to remove some information from a sound signal. This lossy compression reduces the size of the audio file while maintaining good sound quality (although with detectable loss of fidelity), making it ideal for transmission over the internet.

#### **4.2.3. WMA (Windows Media Audio)**

WMA file format is used by the State Library to provide access to streamed audio.

Windows Media Audio (WMA) is a proprietary compressed audio file format developed by Microsoft. It is part of the Windows Media framework. Files in this format can be played using Windows Media Player, Winamp and many alternative media players. Windows Media Player is the default player with Windows applications and is thus widely available.

Further information about Windows Media Audio is available through the Windows Media website at:

<http://www.microsoft.com/windows/windowsmedia/default.aspx>

### **4.3. Video**

AVI and Quicktime .mov are the current digital master/archival formats. SLQ is still investigating the validity of these formats and considering other available formats as a long term preservation master (archival) format

#### **4.3.1. AVI**

AVI (Audio Video Interleaved) is a file format for moving image content that wraps a video bitstream with other data chunks. The State Library of Queensland uses .avi as the video source file when producing streaming versions of video content. Uncompressed AVI of motion picture films scanned at 1920x1080 and below are regarded as digital masters and not preservation masters (archival).

More information on this file format is available at the Digital Preservation website at the Library of Congress at:

<http://www.digitalpreservation.gov/formats/fdd/fdd000059.shtml>

#### **4.3.2. MOV (QuickTime File Format)**

The .mov multimedia container format was created specifically for Apple's Quicktime software and is sometimes referred to as the Apple QuickTime Movie Format.

The format specifies a [multimedia container file](#) that contains one or more tracks, each of which stores a particular type of data: audio, video, effects, or text (e.g. for subtitles). The ability to contain abstract data references for the media data, and the separation of the media data from the media offsets and the track edit lists means that QuickTime is particularly suited for editing, as it is capable of importing and editing in place (without data copying).

Uncompressed MOV of motion picture films scanned at 1920x1080 and below are regarded as digital masters and not preservation masters (archival).

More information on this file format is available at the Apple website at :  
<http://developer.apple.com/library/mac/#documentation/QuickTime/QTFF/QTFFPreface/qtffPreface.html>

#### **4.3.3. WMV (Windows Media Video)**

WMV file format is used by the State Library to provide access to streamed video.

Windows Media Video (WMV) is a proprietary compressed video file format developed by Microsoft. It is part of the Windows Media framework. Files in this format can be played using Windows Media Player, Winamp and many alternative media players. Windows Media Player is the default player with Windows applications and is thus widely available.

Further information about Windows Media Video and Windows Media Player is available through the Windows Media website at:

<http://www.microsoft.com/windows/windowsmedia/default.aspx>

#### **4.3.4. MPEG- 4 Version 2**

The mp4 file format is the second MPEG-4 file format developed by the Motion Picture Experts Group (MPEG). It is a container format that can hold a mix of multimedia objects (audio, video, images, animations). This format is intended to serve web and other online applications; mobile devices, i.e., mobile phones and PDAs; and broadcasting and other professional applications.

More information about this file format is available at the National Digital Information Infrastructure and Preservation Program (NDIIPP), a collaborative project managed by the Library of Congress, at:

<http://www.digitalpreservation.gov/formats/fdd/fdd000155.shtml>



## 5. Capture standards - images

When capturing images from paper and photographic material, State Library of Queensland will produce a set of digital objects suitable for optimal viewing by clients. Types of material from which images are produced include photographic copy prints, published works, negatives, music scores and archive and manuscript material.

The set of objects will be drawn from the following -

- 1 TIFF file (**archival image**) – uncompressed master
- 2 JPEG file (**preview image**) – display image with description on the web
- 3 JPEG (**research image**) – larger display on the web
- 4 JPEG (**thumbnail image**) – small display on the web
- 5 JPEG 2000 (**zoom image**) – capability to zoom into image without loss of quality

The usage of each derivative is determined by format and is outlined in Appendix A.

In addition, a PDF derivative will be produced for some digital objects to provide an easy print solution for clients, such as published works, music scores, transcripts, finding aids and archive and manuscript materials.

### 5.1. Image standards

The following tables detail the image capture quality, size and file format for digital image objects at the State Library of Queensland.

Use	Description	Resolution	Size	Format	File extension
Archival	8-bit greyscale	600 ppi	6000 pixels (across longest dimension)	TIFF	.tif
	24-bit colour	400 ppi	4000 pixels (across longest dimension)		
Preview	8-bit greyscale	100 ppi	500 pixels (across longest dimension)	JPEG	.jpg
	24-bit colour				
Research	8-bit greyscale	100 ppi	1000 pixels (across longest dimension)	JPEG	.jpg
	24-bit colour				
Zoom	8-bit component 6 decomposition layers 25 quality layers	8:1 compression	Same as TIFF master file	JPEG 2000	.jp2

Use	Description	Resolution	Size	Format	File extension
Thumbnail	8-bit greyscale 24-bit colour	72 ppi	150 pixels (across longest dimension)	JPEG	.jpg
PDF	24-bit colour	72 ppi	150 pixels (across longest dimension)	PDF	.pdf

Directory structure and file naming conventions for all digital images are outlined in the *Directory and File Naming Conventions*.

## 5.2. Post scan editing of digital images

There is a concern regarding the potential misuse of digital technology in regard to images. State Library of Queensland is particularly concerned with maintaining the look and feel of an original image, including any defects or imperfections. This is maintained for both ethical reasons and image integrity.

The amount of post scan editing is kept to a minimum. Essentially, the only editing of the image is adjustments to brightness and contrast. Images are not cropped or retouched. Images can be cropped so long as this does not interfere with the integrity of the object – e.g. white borders on a photograph or mount board that adds no aesthetic or historical value to the image. Decisions on cropping will be made by content selectors at the time the request for digitisation is made. This basic editing complies with long standing traditional photographic procedures at SLQ.

Retouching including the removal of labels etc., may occur where the label compromises the integrity of the object. This may be in the instance where a contemporary library label is defacing an object/image. Where there is defacement of a significant part of an object by a contemporary label or the like and this is covering information of an image, original material or artwork, the object will be sent to Conservation for removal of the label where possible before digitisation.

Any editing that has taken place will be reflected in the online record.

## 6. Capture standards - audio

The issue of digitisation of audio materials is one of interest to institutions and organisations building digital repositories. Music, oral history and ethnological resources have many possible applications in libraries, museums and archives. However, the current technological environment, the expected future obsolescence of analogue formats and the deterioration of analogue materials, requires that these resources be in digital form. Digitising audio materials maximizes their use and potential particularly when using the Internet as a means of disseminating this information.

## 6.1. Analogue to digital conversion

The conversion of analogue audio materials to digital formats will be undertaken using the capture standards outlined in this document. No editing to de-noise, de-crackle, de-thump, or to remove clicks will be undertaken to the master audio file. Excerpts for delivery over the internet may be edited to remove noise, clicks thumps etc. to present for the web.

The State Library may produce a set of four digital audio objects when capturing audio material. These digital audio objects are:

1. an uncompressed master WAV file
2. a derivative MP3 version download from the web
3. a streamed version for clients who use Windows Media Player on broadband connections.

## 6.2. Audio standards

Use	Description	Format	File extension
Archival	Lossless, uncompressed master audio file. Sample rate/bit depth – <ul style="list-style-type: none"> <li>• Complex/music - 96kHz/ 24 bit</li> <li>• Simple/voice – 48kHz/ 24 bit</li> </ul>	WAVE_LPC M_BWF	.wav
Downloadable	Lossy, compressed, downloadable audio file. 128 kbps	MPEG 1- Layer 3	.mp3
Streamed	Lossy, compressed, streamed audio file. Broadband version encoded for 256kbps and 512kbps	Windows Media Audio, Version 9	.wma

Directory structure and file naming conventions for digital audio files are outlined in the *Directory and File Naming Conventions*.

## 6.3. Post scan editing of audio files

The State Library of Queensland will produce a master audio file that will be preserved as the archival master copy. Derivative versions of the audio file for delivery over the Internet may be edited to reduce noise, clicking etc. and to present excerpts of the master audio file. It is widely accepted that post scan editing will take place to present sound for the web, but at all times, the master archival copy will be preserved.

## 7. Capture standards - video

The State Library may produce a set of three digital video objects for the delivery of video materials via the Internet. The uncompressed AVI and QuickTime formats will be regarded as preservation masters (archival) for videos, and digital masters for films scanned at 1920x1080 and below

The digital video objects are:

1. an uncompressed master AVI file
2. a streamed version for clients who use Windows Media Player on broadband connections.
3. a downloadable video file for clients who wish to download video to play on their PC at a later time or onto a mobile device.

Minimum specifications for the following formats are outlined in Appendix B

Use	Description	Format	File extension
Digital Master/ Archival	Lossless, uncompressed master video file.	AVI/ QuickTime	.avi .mov
Streamed	Lossy, compressed, streamed video file. Broadband version encoded for 256kbps and 512 kbps in a multiple bitrate stream	Windows Media Video, Version 9	.wmv
Downloadable	Compressed video file format, suitable for download	MP4	.mp4

Directory structure and file naming conventions for digital audio files are outlined in the *Directory and File Naming Conventions*.

## 9. Management and control of digital objects

Before capturing a new digital object format, e.g. audio or video files, collection specialists and project managers must discuss options with the chair of the Resource Discovery Standards to determine file names and directories according to the conventions outlined in *Directory and File Naming Conventions*. Information on the current chair can be found at <http://intra.slq.qld.gov.au/home/what/cg/int/rdsq>.

## 10. Preservation and data integrity

The State Library's *Digital Preservation Policy* outlines the key strategies to be employed to enable the effective preservation of its digital content. The policy is available at - [http://www.slq.qld.gov.au/\\_\\_data/assets/pdf\\_file/0020/109550/SLQ\\_-\\_Digital\\_Preservation\\_Policy\\_v0.05\\_-\\_Oct\\_2008.pdf](http://www.slq.qld.gov.au/__data/assets/pdf_file/0020/109550/SLQ_-_Digital_Preservation_Policy_v0.05_-_Oct_2008.pdf)

Data integrity, backup and data recovery procedures for digital objects comply with current ICTS policies and procedures.

## 11. Review process

This standard will be reviewed annually or sooner if required. The Resource Discovery Standards Group will lead the review in consultation with Collection Preservation,

Queensland Memory and Information Communications & Telecommunications.

The Resource Discovery Standards Group will manage all additions and amendments to this standard. Amendments will be endorsed by the Content Working Group.

## 12. Sources consulted

Australia, Australian Government Information Management Office (2004). Better Practice Checklist - 18. Digitisation of Records. Available from <http://www.finance.gov.au/e-government/better-practice-and-collaboration/better-practice-checklists/digitisation.html> [Accessed 15 September, 2011]

Blood, George (2011) *Refining Conversion Contract Specifications: Determining Suitable Digital Video Formats for Medium-term Storage* Available from [http://dl.dropbox.com/u/11583358/IntrmMastVidFormatRecs\\_20111114.pdf](http://dl.dropbox.com/u/11583358/IntrmMastVidFormatRecs_20111114.pdf) [Accessed 24 January, 2012]

California Digital Library (2011). *CDL Digital File Format Recommendations: Master Production Files*. Available from [http://www.cdlib.org/gateways/docs/cdl\\_dffr.pdf](http://www.cdlib.org/gateways/docs/cdl_dffr.pdf) [Accessed 15 September, 2011]

Digital Library Federation (2000). *File formats for digital masters*. Available from <http://www.worldcat.org/arcviewer/1/OCC/2007/08/08/0000070519/viewer/file2735.html> [Accessed 15 September, 2011]

Institute of Museum and Library Service (2007). *A framework of guidance for building good digital collections*. Available from <http://framework.niso.org/> [Accessed 15 September, 2011]

Kiley, Robert (2003), *Digitising MS 8004 - The Physician's Handbook: Evaluation results & recommendations for actions*. Available from <http://library.wellcome.ac.uk/assets/wtl039834.pdf> [Accessed 15 September, 2011]

National Library of Australia (2008). *A Digital Preservation Policy for the National Library of Australia*. Available from <http://www.nla.gov.au/policy/digpres.html> [Accessed 15 September, 2011]

State Library of Victoria (2001). *Description of Image processing into the Pictures database at the State Library of Victoria*. Provided as Word attachment to email correspondence April 2002.

Smart Service Queensland (2009). *Portable Document Format (PDF) publishing principles*. Available from [http://ssq.govnet.qld.gov.au/web/cue/standard/pdf\\_principles.html](http://ssq.govnet.qld.gov.au/web/cue/standard/pdf_principles.html) [Accessed 15 September, 2011]

JISC Digital Media (formerly known as TASI) *Advice on still images*. Available from <http://www.jiscdigitalmedia.ac.uk/stillimages/> [Accessed 15 September, 2011]

University of Kansas (2003). *Recommended standards/best practices for digital projects*. Available from [http://kudiglib.ku.edu/docs/dli\\_standards.pdf](http://kudiglib.ku.edu/docs/dli_standards.pdf) [Accessed 15 September, 2011]

## APPENDIX A

Derivatives are created for digitised images according to the format of the original.

The following table outlines the standard usage of each derivative. In exceptional circumstances, i.e. a book with detailed, significant images which would benefit from the creation of a JPEG 2000 derivative, changes to the standard approach may be made.

TYPE	TIFF	Thumbnail	JPEG2000	Preview	Research
Maps	✓	✓	✓		
Architectural drawings & plans	✓	✓	✓		
Published works –					
Street directories	✓	✓	✓		
Inserts (maps)	✓	✓	✓		
Atlases	✓	✓	✓		
Books	✓	✓	x		✓
Music scores	✓	✓	x	✓	✓
Art works	✓	✓	✓		
Artists books	✓	✓	✓		
Diaries	✓	✓		✓	✓
Manuscripts	✓	✓		✓	✓
Copy prints	✓	✓		✓	✓
Digital stories	✓	✓		✓	
Oral histories	✓	✓		✓	

## APPENDIX B

### Draft: Capture standard - Video - Minimum specifications

Video section based on “Refining Conversion Contract Specifications: Determining Suitable Digital Video Formats for Medium-term Storage.”, Blood, George, 2011

	FILM	VIDEOTAPES/ DISCS/ STORAGE DRIVES				
		Analogue	Digital: Media dependent, transcoded transfer required:	Digital: Media independent, non-transcoded transfer possible:	Digital: Media independent file based	Digital: Authored Discs
<b>Source Material</b>	<ul style="list-style-type: none"> <li>• 35mm</li> <li>• 16mm</li> <li>• Super 16</li> <li>• 9.5mm</li> <li>• 8mm</li> <li>• Super 8</li> </ul>	<ul style="list-style-type: none"> <li>• Beta SP</li> <li>• S-VHS</li> <li>• VHS,</li> <li>• Video8,</li> <li>• U-matic</li> <li>• Betamax</li> <li>• Betacam</li> <li>• 1 inch or 2 inch</li> </ul>	<ul style="list-style-type: none"> <li>• D-1, D-2, D-3</li> <li>• Digital Betacam</li> <li>• D-5, D-6, D-9</li> <li>• HDCAM/HDCAM SR</li> <li>• BetacamSX (mostly)</li> <li>• IMX (in tape-based form)</li> </ul>	<ul style="list-style-type: none"> <li>• All DV tapes</li> <li>• BetacamSX (in some cases)</li> <li>• P2</li> <li>• XDCAM</li> <li>• HDV</li> <li>• IMX (in PD[Professional Disc"</li> </ul>	<ul style="list-style-type: none"> <li>• DVD-ROM</li> <li>• BluRayROM</li> <li>• Professional Disc</li> <li>• CD-V</li> <li>• flash-Ram cards, mobile phones</li> </ul>	<ul style="list-style-type: none"> <li>• DVDs</li> <li>• BluRay</li> </ul>
<b>Method</b>	data/telecined for migration to digital file	playback into encoder, wrap output as file	Playback, capture of SDI or HDSDI serial stream, wrap file	Transfer data to file wrapper without transcoding	Migrate file based video to a common, preservation-appropriate format	Extract ISO Image of disc
<b>Wrapper</b>	.mov / .avi	.mov / .avi	.mov / .avi	Native as in encoded essence, eg. dv, or .mov, .avi	Native as in encoded essence, eg. dv, or .mov, .avi	ISO Image native .img
<b>Video Compression</b>	uncompressed	uncompressed	SDI or HDSDI output (decompressed from lossy native encoding)	Native	Native	Native, DVD/MPEG-2, BluRay/MPEG-2 or -4
<b>Frame Size</b>	1920x1080 minimum	Native or 720x576	Native for HD or 720x576	Native for HD or 720x576	Native for HD or 720x576	Native for HD or 720x480



	FILM	VIDEOTAPES/ DISCS/ STORAGE DRIVES				
		Analogue	Digital: Media dependent, transcoded transfer required:	Digital: Media independent, non-transcoded transfer possible:	Digital: Media independent file based	Digital: Authored Discs
<b>Aspect Ratio</b>	Depending on film gauge, add black sections to match HD aspect ratio. No cropping of image	Native, 4:3 for SD or 16:9 for HD	Native, 4:3 for SD or 16:9 for HD	Native, 4:3 for SD or 16:9 for HD	Native, 4:3 for SD or 16:9 for HD	Native, 4:3 for SD or 16:9 for HD
<b>Bit depth</b>	10-bit	10-bit	Native or 10-bit	Native or 10-bit	Native or 10-bit	8-bit
<b>Color Space</b>	RGB or Y:Cb:Cr	Y:Cb:Cr	Y:Cb:Cr	Native, Y:Cb:Cr	Native, Y:Cb:Cr	Y:Cb:Cr
<b>Chroma subsampling</b>	4:4:4	4:2:2	4:2:2	Native, usually 4:2:2, 4:1:1 or 4:2:0	Native, usually 4:2:2, 4:1:1 or 4:2:0	Native or 4:2:2
<b>Interlaced/ Progressive</b>	Progressive	Native	Native	Native	Native	Native
<b>Frame Rate</b>	Native, eg. 24fps	25	Native	Native	Native	25, 29.97 NDF, or Native
<b>Time Code</b>		Native when present, Midnight start & NDF if synthetic	Native when present; Midnight start & NDF if synthetic	Native when present, Midnight start & NDF if synthetic	Native when present, Midnight start & NDF if synthetic	Midnight start
<b>Audio channels</b>	Same as original	Same as original	same as original	Same as original	Same as original	Same as original
<b>Audio compression</b>	uncompressed, PCM	uncompressed, PCM	Uncompressed, PCM (potentially lossy decompressed, output on SDI or HDSDI)	Native, usually uncompressed, PCM	Native, typically MP3, MP4, AAC, Dolby Digital or PCM	Native, usually Dolby Digital
<b>Audio sample rate</b>	48 kHz	48 kHz	Native, 48 kHz	Native, 48 kHz	Native, 48 kHz	Native, 48 kHz

	FILM	VIDEOTAPES/ DISCS/ STORAGE DRIVES				
		Analogue	Digital: Media dependent, transcoded transfer required:	Digital: Media independent, non-transcoded transfer possible:	Digital: Media independent file based	Digital: Authored Discs
<b>Audio resolution</b>	24bit	24bit	Native, usually 16-bit or 24-bit	Native, usually 16-bit or 24-bit	Native, usually 16-bit or 24-bit	Native, usually 16-bit
<b>Comment</b>						